

COMBINATION PERSONAL CARE PRODUCTS AND AIR FRESHENERS**FIELD OF THE INVENTION**

This invention relates to personal care products and their containers and air fragrances.

BACKGROUND OF THE INVENTION

US patent no. 5,799,826 to Brown teaches and claims an assembly having a first chamber containing soap and a second chamber containing air fragrance. There are at least two openings in the second chamber to allow the air fragrance to dispense through evaporation. The assembly is for mounting on a wall.

Many patents, including US patent nos. 5,065,875, 5,316,398, 5,135,116, 3,225,951, 4,235,343, 251,566, and 4,805,798 teach containers having an insert area for nesting a second container. However none of these patents teach or suggest inserting an air freshener into the insert area.

US patent nos. 2,204,784, and 544,219 teach containers having two separate chambers. However none of these patents teach or suggest inserting an air fragrance into one of the chambers.

US patent no. 5,350,058 teaches a container having two chambers. The bottom chamber has openings therein. However, there is no teaching or suggestion of using the container to hold either body care products or air fragrance.

UK patent application no. 2,230,957 teaches a combination air fragrance and decorative figure.

US patent no. 5,853,672 teaches a combination air fragrance and fan with an

ornament and lights.

US patent no. 5,351,851 to Powell teaches a container having an insert area to receive an article therein, and a film covering the insert area and inserted article for retaining the article in the indentation. Powell specifically claims that the film is clear over the indentation.

US patent no. 5,165,603 to Hahn teaches a fragrance-emitting skin-care product container that features a reservoir well arranged around the threads on a container mouth. The reservoir well contains a fragrance reservoir. A seal upon the lid of the container seals the reservoir well when the container is closed, thereby preventing contamination of the container contents by the fragrance and allowing for the release of fragrance when the container is opened.

PCT patent application publication no. WO02/20172 and US Patent Nos. 5,595,324 and 5,799,826 to Brown et al. describe a combination air freshener and hand lotion dispenser. The air freshener consists of a fragrance impregnated substance disposed within the dispenser mechanism. The dispenser mechanism includes a manual pump.

SUMMARY OF THE INVENTION

In one aspect, the present invention provides a portable container having a chamber for holding a body care product selected from the group consisting of tissues, deodorants, baby wipes, baby creams and petroleum jelly. and second chamber for holding a room fragrance or room deodorizer. The first chamber has a means for dispensing the body care product. The second chamber has at least one opening. Normal movement of the container during dispensing of the body care product facilitates the release of fragrance into the surrounding air.

Thus, in one aspect the present invention teaches, in combination, a body care product bottle and an air fragrance, comprising a portable bottle having a first wall forming a first chamber for body care products, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance. The air fragrance may be detachable from the second chamber.

The air fragrance may be contained in a container having at least one opening and the first wall is configured to receive the container. The first wall and the container may be configured to form an interference fit between the first chamber and the container or air fragrance. The first wall and the container or air fragrance may be configured to form a releasable interference fit between the container of air fragrance.

The first wall may be configured to form an indentation for receiving the container or air fragrance. The first wall may be configured to form a releasable interference fit between a bottom of the first wall and a top of the container. The container bottom may be configured to maintain the combination upright on a flat surface.

In an embodiment, the container has a plurality of openings. In another embodiment, the first chamber has a removable lid.

In a further aspect, the invention further teaches a bottle comprising: a) a bottom and at least one upstanding side wall to receive a body care product therein; b) the side wall converging to provide a closeable top; and c) an indentation formed in the side wall and directed inwardly of the bottle and configured to receive an air fragrance or air fragrance container therein. The indentation and the air fragrance or air fragrance container may be configured to have an interference fit between the indentation and the air fragrance container. The indentation and the air fragrance or air fragrance container may be configured to have a releasable interference fit

between the indentation and the air fragrance container.

The invention further teaches a bottle comprising: a) a bottom and at least one upstanding side wall to receive a body care product therein; b) the side wall converging to provide a closeable top; c) an air fragrance container having a top and a second bottom; and d) the air fragrance container is attached to the bottom. The air fragrance container and bottle may be configured to have an interference fit between the bottom and the air fragrance container.

The bottom and the air fragrance container may be configured to have a releasable interference fit between the bottom and the air fragrance container. The second bottom may be configured to maintain the combination upright on a flat surface. The air fragrance container may have a plurality of openings. The bottle may have a hand pump dispenser mechanism.

In one aspect, the present invention provides, in combination, a baby wipe container and an air fragrance, comprising a portable container having a first wall forming a first chamber for baby wipes, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance.

In another aspect, the present invention provides, in combination, a deodorant container and an air fragrance, comprising a portable container having a first wall forming a first chamber for receiving a deodorant stick, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance.

In yet another aspect, the present invention provides, in combination, a tissue box holder and an air fragrance, comprising a portable container having a first wall

forming a first chamber for a tissue box, and a second chamber for air fragrance, the second chamber having at least one opening for release of the air fragrance.

Other aspects and features of the present invention will be understood by those of ordinary skill in the art from a review of the following detailed description read in conjunction with the accompanying figures.

BRIEF DESCRIPTION OF THE DRAWINGS

Reference will now be made, by way of example, to the accompanying drawings which show an embodiment of the present invention, and in which:

Figure 1 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 2 is an exploded side view of a second embodiment of a product container and air fragrance container according to the present invention; and

Figure 3 is a side view of a third embodiment of a product container and air fragrance container according to the present invention.

Figure 4 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 5 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 6 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 7 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 8 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 9 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 10 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 11 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 12 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 13 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 14 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 15 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 16 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 17 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 18 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 19 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 20 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 21 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 22 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 23 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 24 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 25 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 26 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 27 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention; and

Figure 28 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 29 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 30 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 31 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 32 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 33 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 34 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 35 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 36 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 37 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 38 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 39 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 40 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 41 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 42 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 43 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 44 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 45 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 46 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 47 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 48 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 49 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 50 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 51 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 52 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 53 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 54 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 55 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 56 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 57 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 58 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 59 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 60 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 61 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 62 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 63 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 64 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 65 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 66 is an exploded front view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 67 is a top view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 68 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 69 is an exploded side view of an embodiment of a product container and air fragrance container according to the present invention;

Figure 70 is a front view of an embodiment of a lid of a product container according to the present invention;

Figure 71 is a bottom internal view of the embodiment of Figure 70;

Figure 72 is a side view of an embodiment of a product container and air fragrance container according to the present invention.

Figure 73 is an exploded side view of an embodiment of a product container and air fragrance portion according to the present invention;

Similar reference numerals are used in different figures to denote similar components.

DESCRIPTION OF SPECIFIC EMBODIMENTS

The present invention teaches a portable combination personal care product container and air fragrance. The present invention has the benefit of being portable. It also has the benefit of being simpler in design and construction, thus less expensive, than teachings of the prior art. In use, the present invention provides further benefits over the prior art, including the fact that the normal movement of the container during dispensing of the body care product will facilitate the release of fragrance into the surrounding air. The use of air fresheners combined with particular personal care products selected herein provides a synergy and benefits not taught, suggested, or realized by the prior art. In one embodiment, the invention concerns

combining a body deodorant or anti-perspirant with an air freshener, so that the air freshener can mask or neutralize odors in the area surrounding where body deodorants are used and stored, for example, hockey equipment bags, sports bags, gym lockers, suit cases, medicine cabinets and the like.

In one embodiment, a container of either cylindrical or rectangular or other geometric or sculptural configuration, of a plastic, formable material is provided. An indentation or depressed area is provided in a sidewall thereof. The area may be substantially flat or may be arranged at an angle to the sidewall, bottom, or top thereof, and similarly, the sides and top of such area may be at right angles to the sidewall of the container or may be angularly arranged thereto. This indented or depressed area may take a multitude of forms. In one embodiment, this area would not extend entirely across the container.

The present invention is applicable to any type of container suitable for the particular personal care products discussed herein and for the purposes and ease of illustration it has been illustrated on containers of various configurations. The concept could be applied to other articles such as the wide rim capped bowls, tubs, tubes, boxes, sticks, or other containers which are manufactured for various usages but which also are utilized for the initial sales of various personal care products. Therefore, the term container may appear within this application and is used as a generic definition rather than a limiting definition.

The fragrance area is configured to receive an air fragrance. The air fragrance may be a solid type air fragrance, or it may be a solid or liquid air fragrance inside a container. If a fragrance container is used, the air fragrance container must have at least one opening to allow dissemination of the air fragrance. Alternatively, the air fragrance can be in the form of a scented container, for example, where the container or a portion of the container, such as the cap, is formed with fragrant

polymer beads.

Figure 1 shows a side view of an embodiment of the present invention that includes a tub container 110 for holding a personal care product, which includes baby wipes. The tub container 110 is roughly rectangular in shape, having a substantially flat bottom surface 111 attached to at least one side wall 112 extending upwardly therefrom to define the open top mouth of the tub container 110. An associated dispensing lid 140 is adapted to snap fit over the open top mouth of the tub container 110 to seal the contents and provide for the dispensing of individual baby wipes through a dispensing mechanism (not shown) incorporated into the dispensing lid 140. The side wall 112 includes a slightly inset portion adjacent the bottom surface 111. The inset portion of the side wall 112 includes one or more outwardly extending protrusions 122.

An air freshener dispenser 120 is adapted to fit over the inset portion of the side wall 112 and snap-fit onto the bottom surface 111 through cooperation with the outwardly extending protrusions 122. The air freshener dispenser 120 includes an upstanding perimeter wall 126 at its top end extending around the top circumference of the air freshener dispenser 120 and having inner dimensions slightly larger than the dimensions of the inset portion of the side wall 112. The upstanding perimeter wall 126 may include indentations (not shown) on its inner surface into which the protrusions 122 are adapted to fit. It will be understood that other interference fit mechanisms may be employed to detachably affix the air freshener dispenser 120 to the tub container 110 other than the protrusions 122.

When attached to the tub container 110, the air freshener dispenser 120 serves as a supporting bottom surface for the tub container 110. The air freshener dispenser 120 may advantageously be detached and replaced as needed. The air freshener dispenser 120 includes a plurality of apertures 124 in its side walls so as to dispense

the air fragrance it contains.

Shrink wrap or film typically covers the aperture 124 prior to opening by the customer. Advantageously, the present combination provides for passive release of air fragrance after opening by the consumer for mildly scenting a diaper changing area. During a diaper change, when the container is in use, it is jostled, thus emitting an increased quantity of scent at a time that it is particularly required.

Reference is now made to Figure 2, which shows a combination deodorant stick 210 and air freshener 220. The deodorant stick includes a dispensing container 212 having a mouth 213 and in which a solid deodorant product 216 is disposed. In known manner, the solid deodorant product 216 is formed around a screw mechanism (not shown) that is coupled to a dispensing wheel 214 for extending and retracting the solid deodorant product 216 relative to the mouth 213 of the dispensing container 212. In other embodiments, not shown, other deodorant dispensers could be used, for example, pushing the deodorant up with a finger, or a hydraulic or air pushing mechanism.

The deodorant stick 210 includes a cap 218 designed to friction fit onto the mouth 213 of the dispensing container 212 to seal the deodorant product 216. In other embodiments, the cap may be fit onto the mouth by means of threads, snaps, or dimples and bumps. The air freshener 220 is incorporated into the cap 218. The cap 218 includes at least one side wall 222 and an inner partition wall 226 (shown in phantom) dividing the interior of the cap 218 into two cavities. The first inner cavity is open to the mouth of the cap 218 and accommodates the dispensing container 212 when the cap 218 is on. The second inner cavity is closed by the side wall 222 and inner partition wall 226 and contains the air freshener 220. A portion of the side wall 222 forming the second cavity includes a plurality of apertures 224 in communication with the interior of the cavity so as to provide for dispensing of the air

fragrance from the air freshener 220.

Advantageously, the combination deodorant stick 210 and air freshener 220 provides for both an active dispensing of air fragrance when the deodorant stick 210 is jostled while in use and for a passive dispensing of air fragrance, since the apertures are typically not sealed while the deodorant stick 210 is not in use. This passive dispensing aspect provides particular advantages to the deodorant stick 210 when used by amateur or professional athletes or in connection with any exercise activities. The deodorant stick 210 may be placed within a gym bag, hockey bag, or other sports equipment bag or a locker in which a user may store a deodorant stick 210 and the air freshener will assist in disguising the odor associated with work-out or sports apparel. During use of the gym bag or the like, the container is jostled, thus inducing a greater amount of scent to be released at a time when the gym bag or the like is being opened and used.

Reference is now made to Figure 3, which shows a combination tissue box holder 310 and air freshener 320. The tissue box holder 310 includes a bottom surface 318 and at least one side wall 312 extending upwards from the bottom surface 318. The side wall 312 defines a mouth opening 314 at its upper end to allow for insertion of a typical cardboard tissue box containing a plurality of tissues 316. The tissue box holder 310 typically includes aesthetic design elements and is used to improve the appearance of conventional cardboard tissue boxes.

The air freshener 320 is incorporated into the tissue box holder 310. The side wall 312 includes a plurality of apertures 324 providing communication with the air freshener 320 contained within the tissue box holder 310. Advantageously, the present combination provides for passive release of air fragrance after opening by the consumer for mildly scenting an area. During use of the tissue box, the tissue box holder 310 is jostled, thus inducing a greater amount of scent to be released at

a time when the tissue box is in use.

With reference to any of the embodiments described above, it will be understood that many containers are formed through the blow molding process and such process would be applicable to the applicant's device in the form shown but the units could also be formed through injection molding techniques wherein individual sections of the bottle or container are molded and thereafter joined. The applicant has thus provided a new and unique container modification which provides the container with a dual compartment area wherein the compartments are separated and utilized for complimentary uses. With the applicant's invention free access is available for refills and replacements of either or both air fragrance and personal care product.

An aspect of the invention is the coordination of the volume of the supply of personal care product and the supply of air fragrance to ensure that the supply of air fragrance is sufficient to continue freshening the air the entire period the body care product is available in the container.

Another beneficial aspect of the present invention is that the fragrance is dispensed in greater amounts upon use of the container, rather than continuously or at regular intervals. This also increases the efficiency of the system by minimizing the quantity of fragrance needed. Another benefit associated with the dual personal care product and air fragrance dispenser described herein is the complete elimination of a separate fragrance dispenser. The personal body care product and air fragrance dispenser costs somewhere between the cost of a typical dispenser alone and the cost of a dispenser and a fragrance dispenser combined. In conjunction with the automatic fragrance replacement feature of the present dispenser, this cost savings is highly attractive.

The air fragrance may be in the form of a solid stick. The air fragrance in the container is generally described as an odorless carrier with a particular concentration of fragrance therein. Typical air fresheners of this composition utilize a concentration of fragrance of between 5-50%, and sometimes as low as 3%. Most brands of air freshener of this type are between 10-25% concentration of fragrance, however. In an embodiment, the air fragrance comprises 30% fragrance and 70% odorless mineral spirit carrier, such as manufactured under the trade name ISOPAR K™, manufactured by Exxon Corp. Although many types of fragrance are possible, one fragrance is a mild high lift fragrance manufactured by International Fragrances, Inc. of Houston, Tex., and may be fragrance No. FG 9798. When using liquid fragrances, to prevent the relatively volatile carrier in air fragrance from spilling from the container a polyester matrix may be provided therein, and the fragrance and carrier saturated within the matrix. As used herein, air fragrance includes air deodorizers, air purifiers, air fresheners, air neutralizers, air disinfectants, air absorbers, odor erasers, odor neutralizers, odor purifiers, odor fresheners, and odor absorbers. A static air freshener could be any air driven or mechanically driven air freshener spray. A static air freshener could be any porous medium such as wood, stone, polymers, plastics, to hold a fragrance while allowing a slow release when exposed to air of a fragrant liquid, cream, gel or solid.

In another embodiment, the air fragrance may be an aerosol or pump spray. In another embodiment, the air fragrance may be a combination aerosol or pump spray with a static air fragrance, for example a stick or liquid form. Thus, in use, the static fragrance is released as described above, while the activated pump or aerosol is activated as more fragrance is desired. In other embodiments, the air fragrance portion could be located on the bottom, top or sides of the body care container. The air freshener can be attached by various means, including adhesives, shrink bands and shrink wraps. In other embodiments, the air fragrance portion is attached by means including a clipping device or a screwing device. The air freshener could be in the over-cap on the top of the container or it could be on the sides or bottom, attached by friction, snap or other locking fit, by adhesive or other fastening devices,

by screw fit, interference fit or other known closures.

Examples of embodiments of the invention, namely deodorants or anti-perspirants, either stick (e.g. baton) or spray (e.g. aerosol) utilizing adhesive to affix the fragrance portion 401 to the deodorant or antiperspirant container are shown in Figures 4 to 6 and Figures 29 to 33. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize clips 410 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 7 to 9 and Figures 34 to 38. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize elastics 412 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 10 to 12 and Figures 39 to 43. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize a friction fit between the fragrance portion 401 and a fit groove 414 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 13 to 15 and Figures 44 to 48. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize pins 416 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 16 to 18 and Figures 49 to 53. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize a slot 418 into which a fragrance portion 401 is inserted to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 19 to 21 and Figures 60 to 64. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize snaps 420 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 22 to 24 and Figures 65 to 69. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize a screw on air freshener 422 to affix the fragrance portion to the deodorant or antiperspirant container. Examples are shown in Figures 25 and 54.

In other embodiments, containers such as deodorants or anti-perspirants, utilize shrink wrap 424 to affix the fragrance portion 401 to the deodorant or antiperspirant container. Examples are shown in Figures 26 to 28 and Figures 55 to 59. As shown, the fragrance portion 401 can be affixed to either the side or top of the container cap 404, or to the body 407 of the deodorant or fragrance container. In another embodiment, not shown, the fragrance portion is inserted into a hollow or

indent on the bottom or top of the deodorant or antiperspirant container.

In other embodiments, containers such as deodorants or anti-perspirants, utilize a cap 501 containing the fragrance 502 and having holes 503 through the cap to allow the fragrance to disseminate into the surrounding air. Examples are shown in Figures 70 and 71.

In another embodiment, a razor may be combined with the fragrance portion in manners similar to those discussed with respect to deodorant containers. For example, the plastic handle of the razor may be made with fragrant polymers, or a fragrance portion may be incorporated into or onto the handle of the razor.

In another embodiment, shown in Figure 73, container 512 containing a deodorant or anti-perspirant, is attached to a container 514 which dispenses an air freshener. The two containers may be attached to each other by means of, for example, string, elastic, a living hinge, wire, or the like.

In other embodiments, shown in Figure 74, containers such as baby wipes containers have a fragrance portion 520 attached to the body 518 or lid 522 of the container. Examples are shown in Figure 74. As shown, the fragrance portion 520 can be affixed to either the side or top of the container. The air fragrance portion may be secured onto the container by any means known in the art, such as screwing, hooks, pins, elastics, slots, snaps, clips, adhesives, slots, shrink wrap, friction fits, pins, or the like.

The present invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. Certain adaptations and modifications of the invention will be obvious to those skilled in the art. Therefore,

the above discussed embodiments are considered to be illustrative and not restrictive, the scope of the invention being indicated by the appended claims rather than the foregoing description, and all changes which come within the meaning and range of equivalency of the claims are therefore intended to be embraced therein.